




IDLER WHEELS for series

828 - 879 - 879 M - 880 M VG - 880 - 880 M




SPLIT IDLER WHEELS

Material: polyamide, screws in stainless steel.

Features:



- Excellent wear and chemical resistance.
- Reduced noise level, quiet operation.
- Reinforced design.
- Completely closed structure, easier to clean and to disinfect.
- Recyclable.
- Quickly replaceable.

CODE	Z equiv.	C mm	S mm	DF mm
12613	9	117.0	62.6	20
12614				25
12615				30
12616				35
12618				40
12617	10	129.8	68.6	20
12619				25
12620				30
12621				35
12622				40
12623	11	142.2	74.6	20
12624				25
12625				30
12626				35
12627				40
12628	12	154.7	80.5	20
12629				25
12630				30
12631				35
12632				40

IDLER WHEELS for series**828 - 879 - 879 M - 880 M VG - 880 - 880 M****STANDARD IDLER WHEELS****Material:** polyamide.**Features:**


- Excellent wear and chemical resistance.
- Reduced noise level, quiet operation.
- Reinforced design.
- Completely closed structure, easier to clean and to disinfect.
- Recyclable.
- Convenient.

CODE	Z equiv.	C mm	S mm	DF mm
12638	9	117.0	62.6	20
12639				25
12640				30
12641				35
12642				40
12643	10	129.8	68.6	20
12644				25
12645				30
12646				35
12647				40
12648	11	142.2	74.6	20
12649				25
12650				30
12651				35
12652				40
12653	12	154.7	80.5	20
12654				25
12655				30
12656				35
12657				40

IDLER WHEELS for series**879 - 879 M - 879 M VG - 880 - 880 M****IDLER WHEELS****Material:** self-lubricating polyamide, screws in zinc plated steel

CODE	Z	A1 mm	A2 mm	H mm	M mm	S mm	DF mm
12278	8	44	52	71	106	56.2	25
12279							30
12680	9	44	60	80	118	62.6	25
12681							30
12682							35
12683							40
12684	10	44	60	80	129.8	68.6	25
12685							30
12686							35
12687							40
12688	11	44	60	108	142.5	74.6	25
12689							30
12690							35
12691							40
12692	12	44	60	108	155	80.5	25
12693							30
12694							35
12695							40

IDLER WHEELS for series**878 TAB - 878 TAB VG - 879 TAB - 879 TAB VG - 880 TAB**



IDLER WHEELS

Material: self-lubricating polyamide, screws in zinc plated steel

CODE	Z equiv.	B mm	C mm	S mm	DF mm
12310	9	80	118	62.6	25
12311					30
12312					35
12313					40
12314	10	80	129.8	68.6	25
12315					30
12316					35
12317					40
12318	11	108	142.5	74.6	25
12319					30
12320					35
12321					40
12322	12	108	155	80.5	25
12323					30
12324					35
12325					40