

# Conical side guides




## CONICAL SIDE GUIDES

### Material:

Extruded ultra high molecular weight polyethylene.  
Max. continuous service temperature in air 90° C.  
Water absorption coefficient = 0.  
Sheath material see the table, thickness 1.5 mm.

### Notes:

These FDA-approved designs eliminate the chance of contamination by sealing out liquids and debris. As a result, they make it easy to maintain a clean, sanitary surface.




## CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code     | Colour           | Metal profile material      | Length | Weight Kg/m |
|----------|------------------|-----------------------------|--------|-------------|
| 19019    | White            | Stainless steel<br>AISI 304 | 3 m    | 0.60        |
| 19019L   | White            |                             | 6 m    | 0.60        |
| 19019V   | Green            |                             | 3 m    | 0.60        |
| 19019VL  | Green            |                             | 6 m    | 0.60        |
| 19020    | Black            |                             | 3 m    | 0.60        |
| 19020L   | Black            | Zinc plated steel           | 6 m    | 0.60        |
| 19020AS  | Antistatic black |                             | 3 m    | 0.60        |
| 19020ASL | Antistatic black |                             | 6 m    | 0.60        |
| 19021    | White            |                             | 3 m    | 0.60        |
| 19021L   | White            |                             | 6 m    | 0.60        |
| 19021V   | Green            |                             | 3 m    | 0.60        |
| 19021VL  | Green            |                             | 6 m    | 0.60        |
| 19022    | Black            | Zinc plated steel           | 3 m    | 0.60        |
| 19022L   | Black            |                             | 6 m    | 0.60        |
| 19022AS  | Antistatic black |                             | 3 m    | 0.60        |
| 19022ASL | Antistatic black |                             | 6 m    | 0.60        |



## CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code     | Colour           | Metal profile material      | Length | Weight Kg/m |
|----------|------------------|-----------------------------|--------|-------------|
| 19023    | White            | Stainless steel<br>AISI 304 | 3 m    | 0.60        |
| 19023L   | White            |                             | 6 m    | 0.60        |
| 19024    | Black            |                             | 3 m    | 0.60        |
| 19024L   | Black            |                             | 6 m    | 0.60        |
| 19024AS  | Antistatic black |                             | 3 m    | 0.60        |
| 19024ASL | Antistatic black | Zinc plated steel           | 6 m    | 0.60        |
| 19025    | White            |                             | 3 m    | 0.60        |
| 19025L   | White            |                             | 6 m    | 0.60        |
| 19026    | Black            |                             | 3 m    | 0.60        |
| 19026L   | Black            |                             | 6 m    | 0.60        |
| 19026AS  | Antistatic black |                             | 3 m    | 0.60        |
| 19026ASL | Antistatic black |                             | 6 m    | 0.60        |



304 Stainless steel



Zinc plated steel



Polyethylene





Polyethylene antistatic




Consult pages 105 → 107 for bending machines



Accessories




## Conical side guides



### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters


**Packaging:** 30 meters



### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters


**Packaging:** 30 meters



### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters




### CONICAL SIDE GUIDES


**Supply:** 3 or 6 meters

**Packaging:** 30 meters


| Code     | Colour           | Metal profile material      | Length | Weight Kg/m |
|----------|------------------|-----------------------------|--------|-------------|
| 19027    | White            | Stainless steel<br>AISI 304 | 3 m    | 0.60        |
| 19027L   | White            |                             | 6 m    | 0.60        |
| 19028    | Black            |                             | 3 m    | 0.60        |
| 19028L   | Black            |                             | 6 m    | 0.60        |
| 19028AS  | Antistatic black |                             | 3 m    | 0.60        |
| 19028ASL | Antistatic black |                             | 6 m    | 0.60        |
| 19029    | White            | Zinc plated steel           | 3 m    | 0.60        |
| 19029L   | White            |                             | 6 m    | 0.60        |
| 19030    | Black            |                             | 3 m    | 0.60        |
| 19030L   | Black            |                             | 6 m    | 0.60        |
| 19030AS  | Antistatic black |                             | 3 m    | 0.60        |
| 19030ASL | Antistatic black |                             | 6 m    | 0.60        |




| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19065     | White            | Stainless steel<br>AISI 304 | 3 m    | 0.55        |
| 19065L    | White            |                             | 6 m    | 0.55        |
| 19066     | Black            |                             | 3 m    | 0.55        |
| 19066L    | Black            |                             | 6 m    | 0.55        |
| 19066AS   | Antistatic black |                             | 3 m    | 0.55        |
| 19066ASL  | Antistatic black |                             | 6 m    | 0.55        |
| 190249    | White            | Zinc plated steel           | 3 m    | 0.55        |
| 190249L   | White            |                             | 6 m    | 0.55        |
| 190250    | Black            |                             | 3 m    | 0.55        |
| 190250L   | Black            |                             | 6 m    | 0.55        |
| 190250AS  | Antistatic black |                             | 3 m    | 0.55        |
| 190250ASL | Antistatic black |                             | 6 m    | 0.55        |




| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19063W    | White            | Stainless steel<br>AISI 304 | 3 m    | 0.62        |
| 19063WL   | White            |                             | 6 m    | 0.62        |
| 19063     | Black            |                             | 3 m    | 0.62        |
| 19063L    | Black            |                             | 6 m    | 0.62        |
| 19063AS   | Antistatic black |                             | 3 m    | 0.62        |
| 19063ASL  | Antistatic black |                             | 6 m    | 0.62        |
| 190251    | White            | Zinc plated steel           | 3 m    | 0.62        |
| 190251L   | White            |                             | 6 m    | 0.62        |
| 190252    | Black            |                             | 3 m    | 0.62        |
| 190252L   | Black            |                             | 6 m    | 0.62        |
| 190252AS  | Antistatic black |                             | 3 m    | 0.62        |
| 190252ASL | Antistatic black |                             | 6 m    | 0.62        |



| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 190253    | White            | Stainless steel<br>AISI 304 | 3 m    | 0.72        |
| 190253L   | White            |                             | 6 m    | 0.72        |
| 190254    | Black            |                             | 3 m    | 0.72        |
| 190254L   | Black            |                             | 6 m    | 0.72        |
| 190254AS  | Antistatic black |                             | 3 m    | 0.72        |
| 190254ASL | Antistatic black |                             | 6 m    | 0.72        |
| 190255    | White            | Zinc plated steel           | 3 m    | 0.72        |
| 190255L   | White            |                             | 6 m    | 0.72        |
| 190256    | Black            |                             | 3 m    | 0.72        |
| 190256L   | Black            |                             | 6 m    | 0.72        |
| 190256AS  | Antistatic black |                             | 3 m    | 0.72        |
| 190256ASL | Antistatic black |                             | 6 m    | 0.72        |



## Conical side guides





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19062     | White            | Stainless steel<br>AISI 304 | 3 m    | 1.05        |
| 19062L    | White            |                             | 6 m    | 1.05        |
| 190257    | Black            |                             | 3 m    | 1.05        |
| 190257L   | Black            |                             | 6 m    | 1.05        |
| 190257AS  | Antistatic black |                             | 3 m    | 1.05        |
| 190257ASL | Antistatic black |                             | 6 m    | 1.05        |
| 190258    | White            | Zinc plated steel           | 3 m    | 1.05        |
| 190258L   | White            |                             | 6 m    | 1.05        |
| 190259    | Black            |                             | 3 m    | 1.05        |
| 190259L   | Black            |                             | 6 m    | 1.05        |
| 190259AS  | Antistatic black |                             | 3 m    | 1.05        |
| 190259ASL | Antistatic black |                             | 6 m    | 1.05        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19042     | White            | Stainless steel<br>AISI 304 | 3 m    | 0.65        |
| 19042L    | White            |                             | 6 m    | 0.65        |
| 19043     | Black            |                             | 3 m    | 0.65        |
| 19043L    | Black            |                             | 6 m    | 0.65        |
| 19043AS   | Antistatic black |                             | 3 m    | 0.65        |
| 19043ASL  | Antistatic black |                             | 6 m    | 0.65        |
| 190260    | White            | Zinc plated steel           | 3 m    | 0.65        |
| 190260L   | White            |                             | 6 m    | 0.65        |
| 190261    | Black            |                             | 3 m    | 0.65        |
| 190261L   | Black            |                             | 6 m    | 0.65        |
| 190261AS  | Antistatic black |                             | 3 m    | 0.65        |
| 190261ASL | Antistatic black |                             | 6 m    | 0.65        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19057     | White            | Stainless steel<br>AISI 304 | 3 m    | 0.68        |
| 19057L    | White            |                             | 6 m    | 0.68        |
| 19058     | Black            |                             | 3 m    | 0.68        |
| 19058L    | Black            |                             | 6 m    | 0.68        |
| 19058AS   | Antistatic black |                             | 3 m    | 0.68        |
| 19058ASL  | Antistatic black |                             | 6 m    | 0.68        |
| 190200    | White            | Zinc plated steel           | 3 m    | 0.68        |
| 190200L   | White            |                             | 6 m    | 0.68        |
| 190201    | Black            |                             | 3 m    | 0.68        |
| 190201L   | Black            |                             | 6 m    | 0.68        |
| 190201AS  | Antistatic black |                             | 3 m    | 0.68        |
| 190201ASL | Antistatic black |                             | 6 m    | 0.68        |




### CONICAL SIDE GUIDES


**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19099     | White            | Stainless steel<br>AISI 304 | 3 m    | 0.62        |
| 19099L    | White            |                             | 6 m    | 0.62        |
| 190262    | Black            |                             | 3 m    | 0.62        |
| 190262L   | Black            |                             | 6 m    | 0.62        |
| 190262AS  | Antistatic black |                             | 3 m    | 0.62        |
| 190262ASL | Antistatic black |                             | 6 m    | 0.62        |
| 190263    | White            | Zinc plated steel           | 3 m    | 0.62        |
| 190263L   | White            |                             | 6 m    | 0.62        |
| 190264    | Black            |                             | 3 m    | 0.62        |
| 190264L   | Black            |                             | 6 m    | 0.62        |
| 190264AS  | Antistatic black |                             | 3 m    | 0.62        |
| 190264ASL | Antistatic black |                             | 6 m    | 0.62        |



## Conical side guides





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 190212    | White            | Stainless steel AISI 304 | 3 m    | 0.72        |
| 190212L   | White            |                          | 6 m    | 0.72        |
| 190213    | Black            |                          | 3 m    | 0.72        |
| 190213L   | Black            |                          | 6 m    | 0.72        |
| 190213AS  | Antistatic black | Zinc plated steel        | 3 m    | 0.72        |
| 190213ASL | Antistatic black |                          | 6 m    | 0.72        |
| 190214    | White            |                          | 3 m    | 0.72        |
| 190214L   | White            |                          | 6 m    | 0.72        |
| 190215    | Black            | Zinc plated steel        | 3 m    | 0.72        |
| 190215L   | Black            |                          | 6 m    | 0.72        |
| 190215AS  | Antistatic black |                          | 3 m    | 0.72        |
| 190215ASL | Antistatic black |                          | 6 m    | 0.72        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 19031     | White            | Stainless steel AISI 304 | 3 m    | 0.78        |
| 19031L    | White            |                          | 6 m    | 0.78        |
| 19032     | Black            |                          | 3 m    | 0.78        |
| 19032L    | Black            |                          | 6 m    | 0.78        |
| 19032AS   | Antistatic black | Zinc plated steel        | 3 m    | 0.78        |
| 19032ASL  | Antistatic black |                          | 6 m    | 0.78        |
| 190202    | White            |                          | 3 m    | 0.78        |
| 190202L   | White            |                          | 6 m    | 0.78        |
| 190203    | Black            | Zinc plated steel        | 3 m    | 0.78        |
| 190203L   | Black            |                          | 6 m    | 0.78        |
| 190203AS  | Antistatic black |                          | 3 m    | 0.78        |
| 190203ASL | Antistatic black |                          | 6 m    | 0.78        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 190232    | White            | Stainless steel AISI 304 | 3 m    | 0.76        |
| 190232L   | White            |                          | 6 m    | 0.76        |
| 190233    | Black            |                          | 3 m    | 0.76        |
| 190233L   | Black            |                          | 6 m    | 0.76        |
| 190233AS  | Antistatic black | Zinc plated steel        | 3 m    | 0.76        |
| 190233ASL | Antistatic black |                          | 6 m    | 0.76        |
| 190234    | White            |                          | 3 m    | 0.76        |
| 190234L   | White            |                          | 6 m    | 0.76        |
| 190235    | Black            | Zinc plated steel        | 3 m    | 0.76        |
| 190235L   | Black            |                          | 6 m    | 0.76        |
| 190235AS  | Antistatic black |                          | 3 m    | 0.76        |
| 190235ASL | Antistatic black |                          | 6 m    | 0.76        |




### CONICAL SIDE GUIDES


**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 19033     | White            | Stainless steel AISI 304 | 3 m    | 0.86        |
| 19033L    | White            |                          | 6 m    | 0.86        |
| 19034     | Black            |                          | 3 m    | 0.86        |
| 19034L    | Black            |                          | 6 m    | 0.86        |
| 19034AS   | Antistatic black | Zinc plated steel        | 3 m    | 0.86        |
| 19034ASL  | Antistatic black |                          | 6 m    | 0.86        |
| 190204    | White            |                          | 3 m    | 0.86        |
| 190204L   | White            |                          | 6 m    | 0.86        |
| 190205    | Black            | Zinc plated steel        | 3 m    | 0.86        |
| 190205L   | Black            |                          | 6 m    | 0.86        |
| 190205AS  | Antistatic black |                          | 3 m    | 0.86        |
| 190205ASL | Antistatic black |                          | 6 m    | 0.86        |



## Conical side guides





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19059     | White            | Stainless steel<br>AISI 304 | 3 m    | 0.90        |
| 19059L    | White            |                             | 6 m    | 0.90        |
| 19060     | Black            |                             | 3 m    | 0.90        |
| 19060L    | Black            |                             | 6 m    | 0.90        |
| 19060AS   | Antistatic black |                             | 3 m    | 0.90        |
| 19060ASL  | Antistatic black |                             | 6 m    | 0.90        |
| 190206    | White            | Zinc plated steel           | 3 m    | 0.90        |
| 190206L   | White            |                             | 6 m    | 0.90        |
| 190207    | Black            |                             | 3 m    | 0.90        |
| 190207L   | Black            |                             | 6 m    | 0.90        |
| 190207AS  | Antistatic black |                             | 3 m    | 0.90        |
| 190207ASL | Antistatic black |                             | 6 m    | 0.90        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 190216    | White            | Stainless steel<br>AISI 304 | 3 m    | 0.94        |
| 190216L   | White            |                             | 6 m    | 0.94        |
| 190217    | Black            |                             | 3 m    | 0.94        |
| 190217L   | Black            |                             | 6 m    | 0.94        |
| 190217AS  | Antistatic black |                             | 3 m    | 0.94        |
| 190217ASL | Antistatic black |                             | 6 m    | 0.94        |
| 190218    | White            | Zinc plated steel           | 3 m    | 0.94        |
| 190218L   | White            |                             | 6 m    | 0.94        |
| 190219    | Black            |                             | 3 m    | 0.94        |
| 190219L   | Black            |                             | 6 m    | 0.94        |
| 190219AS  | Antistatic black |                             | 3 m    | 0.94        |
| 190219ASL | Antistatic black |                             | 6 m    | 0.94        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 19038     | White            | Stainless steel<br>AISI 304 | 3 m    | 0.95        |
| 19038L    | White            |                             | 6 m    | 0.95        |
| 19039     | Black            |                             | 3 m    | 0.95        |
| 19039L    | Black            |                             | 6 m    | 0.95        |
| 19039AS   | Antistatic black |                             | 3 m    | 0.95        |
| 19039ASL  | Antistatic black |                             | 6 m    | 0.95        |
| 190208    | White            | Zinc plated steel           | 3 m    | 0.95        |
| 190208L   | White            |                             | 6 m    | 0.95        |
| 190209    | Black            |                             | 3 m    | 0.95        |
| 190209L   | Black            |                             | 6 m    | 0.95        |
| 190209AS  | Antistatic black |                             | 3 m    | 0.95        |
| 190209ASL | Antistatic black |                             | 6 m    | 0.95        |




### CONICAL SIDE GUIDES


**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material      | Length | Weight Kg/m |
|-----------|------------------|-----------------------------|--------|-------------|
| 190220    | White            | Stainless steel<br>AISI 304 | 3 m    | 1.1         |
| 190220L   | White            |                             | 6 m    | 1.1         |
| 190221    | Black            |                             | 3 m    | 1.1         |
| 190221L   | Black            |                             | 6 m    | 1.1         |
| 190221AS  | Antistatic black |                             | 3 m    | 1.1         |
| 190221ASL | Antistatic black |                             | 6 m    | 1.1         |
| 190222    | White            | Zinc plated steel           | 3 m    | 1.1         |
| 190222L   | White            |                             | 6 m    | 1.1         |
| 190223    | Black            |                             | 3 m    | 1.1         |
| 190223L   | Black            |                             | 6 m    | 1.1         |
| 190223AS  | Antistatic black |                             | 3 m    | 1.1         |
| 190223ASL | Antistatic black |                             | 6 m    | 1.1         |



## Conical side guides





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 190236    | White            | Stainless steel AISI 304 | 3 m    | 0.72        |
| 190236L   | White            |                          | 6 m    | 0.72        |
| 190237    | Black            |                          | 3 m    | 0.72        |
| 190237L   | Black            |                          | 6 m    | 0.72        |
| 190237AS  | Antistatic black |                          | 3 m    | 0.72        |
| 190237ASL | Antistatic black |                          | 6 m    | 0.72        |
| 190238    | White            | Zinc plated steel        | 3 m    | 0.72        |
| 190238L   | White            |                          | 6 m    | 0.72        |
| 190239    | Black            |                          | 3 m    | 0.72        |
| 190239L   | Black            |                          | 6 m    | 0.72        |
| 190239AS  | Antistatic black |                          | 3 m    | 0.72        |
| 190239ASL | Antistatic black |                          | 6 m    | 0.72        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

**Use:** wear strip and side guide for modular wide belts

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 190228    | White            | Stainless steel AISI 304 | 3 m    | 0.85        |
| 190228L   | White            |                          | 6 m    | 0.85        |
| 190229    | Black            |                          | 3 m    | 0.85        |
| 190229L   | Black            |                          | 6 m    | 0.85        |
| 190229AS  | Antistatic black |                          | 3 m    | 0.85        |
| 190229ASL | Antistatic black |                          | 6 m    | 0.85        |
| 190230    | White            | Zinc plated steel        | 3 m    | 0.85        |
| 190230L   | White            |                          | 6 m    | 0.85        |
| 190231    | Black            |                          | 3 m    | 0.85        |
| 190231L   | Black            |                          | 6 m    | 0.85        |
| 190231AS  | Antistatic black |                          | 3 m    | 0.85        |
| 190231ASL | Antistatic black |                          | 6 m    | 0.85        |





### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

**Use:** wear strip and side guide for modular wide belts

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 190224    | White            | Stainless steel AISI 304 | 3 m    | 1.15        |
| 190224L   | White            |                          | 6 m    | 1.15        |
| 190225    | Black            |                          | 3 m    | 1.15        |
| 190225L   | Black            |                          | 6 m    | 1.15        |
| 190225AS  | Antistatic black |                          | 3 m    | 1.15        |
| 190225ASL | Antistatic black |                          | 6 m    | 1.15        |
| 190226    | White            | Zinc plated steel        | 3 m    | 1.15        |
| 190226L   | White            |                          | 6 m    | 1.15        |
| 190227    | Black            |                          | 3 m    | 1.15        |
| 190227L   | Black            |                          | 6 m    | 1.15        |
| 190227AS  | Antistatic black |                          | 3 m    | 1.15        |
| 190227ASL | Antistatic black |                          | 6 m    | 1.15        |



### CONICAL SIDE GUIDES

**Supply:** 3 or 6 meters

**Packaging:** 30 meters

**Use:** ISO 12B1 European series roller chains

| Code      | Colour           | Metal profile material   | Length | Weight Kg/m |
|-----------|------------------|--------------------------|--------|-------------|
| 19040     | White            | Stainless steel AISI 304 | 3 m    | 0.80        |
| 19040L    | White            |                          | 6 m    | 0.80        |
| 19041     | Black            |                          | 3 m    | 0.80        |
| 19041L    | Black            |                          | 6 m    | 0.80        |
| 19041AS   | Antistatic black |                          | 3 m    | 0.80        |
| 19041ASL  | Antistatic black |                          | 6 m    | 0.80        |
| 190210    | White            | Zinc plated steel        | 3 m    | 0.80        |
| 190210L   | White            |                          | 6 m    | 0.80        |
| 190211    | Black            |                          | 3 m    | 0.80        |
| 190211L   | Black            |                          | 6 m    | 0.80        |
| 190211AS  | Antistatic black |                          | 3 m    | 0.80        |
| 190211ASL | Antistatic black |                          | 6 m    | 0.80        |

