

Clamps for conical side guides



Nickel plated brass



303 Stainless steel



Reinforced polyamide



See pages 84 → 89



See pages 92 → 93



See page 171



Consult pages 134 → 137 for rod design



SINGLE CLAMP


Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass.

Supply: assembled.

Packaging: 50 pieces.

Code

13006NV



SINGLE CLAMP WITH ROD

Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass, rod in stainless steel AISI 303.

Supply: assembled.

Packaging: 50 pieces.

Code


13190

13191

DP

14

16



SINGLE CLAMP


Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass.

Supply: assembled.

Packaging: 50 pieces.

Code

13006



Clamps for conical side guides



Nickel
plated brass



303 Stainless steel



Reinforced
polyamide



See pages
84 → 89



See pages
92 → 93



See page
171



Consult pages
134 → 137
for rod design




SINGLE CLAMP WITH ROD

Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass, rod in stainless steel AISI 303.

Supply: assembled.

Packaging: 50 pieces.

Code	DP
13192	12
13193	14
13194	16




SINGLE CLAMP

Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass.

Supply: assembled.

Packaging: 50 pieces.

Code	
13788	




SINGLE CLAMP WITH ROD

Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass, rod in stainless steel AISI 303.

Supply: assembled.

Packaging: 50 pieces.

Code	DP
13789	12
13790	14
13791	16



Clamps for conical side guides



SINGLE CLAMP WITH BOLT


Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass.

Supply: assembled.

Packaging: 50 pieces.

Code

13792



SINGLE CLAMP WITH ROD

Material: clamp in reinforced polyamide, bolt in stainless steel, nut in nickel plated brass, rod in stainless steel AISI 303.

Supply: assembled.

Packaging: 50 pieces.

Code

13793

13794


13795

DP

12

14

16



ADJUSTABLE GUIDE RAIL CLAMP

Material: clamp in reinforced polyamide, bolts in stainless steel, nut in nickel plated brass.


Supply: assembled.

Use: mount on 25x6 flat bar or Ø 12 diameter rod.

Packaging: 50 pieces.

Code

13195



Clamps for conical side guides



ADJUSTABLE GUIDE RAIL CLAMP

Material: clamp in reinforced polyamide, bolts in stainless steel, nut in nickel plated brass.


Supply: assembled.

Use: mount on 25x8 flat bar.

Packaging: 50 pieces.

Code

13007



ADJUSTABLE GUIDE RAIL CLAMP

Material: clamp in reinforced polyamide, bolts in stainless steel, nut in nickel plated brass.


Supply: assembled.

Use: mount on 25x8 flat bar.

Packaging: 50 pieces.

Code

13196



ADJUSTABLE GUIDE RAIL CLAMP

Material: clamp in reinforced polyamide, bolts in stainless steel, nut in nickel plated brass.


Supply: assembled.

Use: mount on 25x10 flat bar.

Packaging: 50 pieces.

Code

13197



Clamps for conical side guides



Nickel
plated brass



303 Stainless steel



Reinforced
polyamide



See pages
84 → 89



See pages
92 → 93



See page
171



Consult pages
134 → 137
for rod design



SINGLE CLAMP


Material: clamp in reinforced polyamide.

Use: it connects guide rail to bracket or rod using a standard M8 cap screw.

Packaging: 50 pieces.

Code

13012




SWIVEL CLAMP

Material: reinforced polyamide. nut, washer and rod in stainless steel.


Supply: assembled.

Packaging: 50 pieces.

Note: code 13167 is supplied without rod.



APPLICATION EXAMPLE




This design allows a max.
swivel angle of 120°

Code



13167
13168
13169
13170

DP

-
12
14
16



Clamps for conical side guides



Nickel
plated brass



303 Stainless steel



Reinforced
polyamide



See pages
84 → 89



See pages
92 → 93



See page
171



Consult pages
134 → 137
for rod design

DOUBLE CLAMP



Material: reinforced polyamide,
nut, washer in stainless steel.

Supply: unassembled.

Packaging: 50 pieces.

Code

13008NV



DOUBLE CLAMP WITH ROD

Material: reinforced polyamide,
nut, washer rod in stainless steel.

Supply: assembled.

Packaging: 50 pieces.

Code

13009NV

13010NV

13011NV

DP

12

14

16

Clamps for conical side guides and for round guide rails



See page 103



Nickel plated brass



303 Stainless steel



Reinforced polyamide



See pages 84 → 89



See pages 92 → 93



See pages 171



Consult pages 134 → 137 for rod design

DOUBLE CLAMP

Material: reinforced polyamide, nut, washer and rod in stainless steel.


Codes 13175-13351-13163 are supplied without rod and nut.

Application: the clamp is designed to be used with either the conical or Ø 12 mm round guide rails, simply by turning the internal flange plate.


Use: to support rods or conical guide rails with increased centers.

Supply: assembled.


Packaging: 50 pieces.




Flange position for assembling conical side guide



Rotate center piece 90°



Flange position for assembling Ø 12 mm rod



Code	I ●	I ▸	L	A	B	Ø DP
13175	51	47	70	43	30	–
13176	51	47	70	43	30	12
13177	51	47	70	43	30	14
13178	51	47	70	43	30	16
13351	69	65	90	61	35	–
13352	69	65	90	61	35	12
13353	69	65	90	61	35	14
13354	69	65	90	61	35	16
13163	89	85	110	80	40	–
13164	89	85	110	80	40	12
13165	89	85	110	80	40	14
13166	89	85	110	80	40	16

Clamps for conical side guides and for round guide rails



See page 103



Nickel plated brass



303 Stainless steel



Reinforced polyamide



See pages 84 → 89



See pages 92 → 93



See page 171



Consult pages 134 → 137 for rod design

DOUBLE CLAMP

Material: reinforced polyamide, screw, washer and rod in stainless steel.


Codes 13175F - 13351F - 13163F are supplied without rod and screw.

Application: the clamp is designed to be used with either the conical or Ø 12 mm round guide rails, simply by turning the internal flange plate.


Use: to support rods or conical guide rails with increased centers.

Supply: assembled.


Packaging: 50 pieces.




Flange position for assembling conical side guide



Rotate center piece 90°



Flange position for assembling Ø 12 mm rod



Code	I ●	I ►	L	A	B	Ø DP
13175F	51	47	70	43	30	–
13176F	51	47	70	43	30	12
13177F	51	47	70	43	30	14
13178F	51	47	70	43	30	16
13351F	69	65	90	61	35	–
13352F	69	65	90	61	35	12
13353F	69	65	90	61	35	14
13354F	69	65	90	61	35	16
13163F	89	85	110	80	40	–
13164F	89	85	110	80	40	12
13165F	89	85	110	80	40	14
13166F	89	85	110	80	40	16