


**"NOLU-S" CURVES**  
**ARE STRONGLY RECOMMENDED**  
**WITH THESE CHAINS!**

On request and for adequate quantities these chains can be produced in:

Standard materials	
LFG	NGG
Low Friction Acetal Resin	New Generation

XPG	AS
Extra Performance	Anti-static Acetal Resin



## Applications:

The chainbelt magnetic system with closed top plates is best suited for conveying glass and pet containers (for example PET bottles with petaloid base).



Pages 4⇒7



Pages 318⇒319



Pages 232⇒236




Pages 333⇒337

Belts - Ref.	Code	Material	Width L		R min.	Max load capacity N	Weight Kg/m <sup>2</sup>
			mm	inch			
LFG 2260 M K330 FT	<b>11329</b>	<b>LFG</b> Dark Grey	83.8	3 19/64	500	2.000	1.66
NGG 2260 M K330 FT	<b>11329NGG</b>	<b>NGG</b> Light Grey					

# SIDEFLEXING FLAT TOP CHAINBELT FOR TAB SYSTEM

# 2250 TAB FT





**STANDARD TRACKS FOR TAB SYSTEM**

**"NOLU-S" CURVES**  
**ARE STRONGLY RECOMMENDED**  
**WITH THESE CHAINS!**

On request and for adequate quantities these chains can be produced in:

Standard materials	
LFG	NGG
Low Friction Acetal Resin	New Generation

XPG	AS
Extra Performance	Anti-static Acetal Resin



## Applications:

The chainbelt magnetic system with closed top plates is best suited for conveying glass and pet containers (for example PET bottles with petaloid base).

**Pin material:** Austenitic Steel



Pages 4⇒7



Pages 318⇒319



Pages 248+253



Pages 257+259



Pages 333⇒337

Belts - Ref.	Code	Material	Width L		R min.	Max load capacity N	Weight Kg/m²
			mm	inch			
LFG 2250 TAB K330 FT	<b>11323</b>	<b>LFG</b> Dark Grey	83.8	3 <sup>19</sup> / <sub>64</sub>	500	2.000	1.75
NGG 2250 TAB K330 FT	<b>11323NGG</b>	<b>NGG</b> Light Grey					2.04
LFG 2250 TAB K450 FT	<b>11324</b>	<b>LFG</b> Dark Grey	114.3	4 <sup>1</sup> / <sub>2</sub>			2.04
NGG 2250 TAB K450 FT	<b>11324NGG</b>	<b>NGG</b> Light Grey					

**Standard length:** 120 pitches (10 ft. - 3.048 m)

**Pin material:** Ferritic Stainless Steel