


Modular transfer plates with rollers

- Create a smooth transfer between two conveyors
- Can be used individually or back-to-back
- Ultra low friction
- Low noise rollers



For heavy duty construction, and for bigger width please see page 328-330

- Clean design
- Easy, flexible mounting
- Modular set-up in width and length
- Available in 85 or 115 mm width




Type: **MR**

Plastic Multi Rollers




Type: **SR**

Single Plastic Roller in low noise version



Type: **SSA**

Plastic Roller with ball bearing



Type: **SS**

Stainless Steel Roller with ball bearing



The range

The transfer plates are available in four different versions in order to be compatible with many applications.

Material

- Frame in acetal resin
- Rollers in low noise material or stainless steel.
- Pins, washers and bolts in stainless steel AISI 304.
- Supply: assembled.
- Packaging: 10 pieces.

Modular transfer plates with rollers



AISI 430
Stainless steel







P.B.T.




Acetal resin

MODULE WITH TWO ROWS OF ROLLERS
Width L=85 or L=115

TYPE	L	Fastener M6		Nut M6		Without screws
MR	85	16777	16777S	16777D	16777W	16777W
SR		16777-SR	16777S-SR	16777D-SR	16777W-SR	16777W-SR
SSA		16777-SSA	16777S-SSA	16777D-SSA	16777W-SSA	16777W-SSA
SS	115	16777-SS	16777S-SS	16777D-SS	16777W-SS	16777W-SS
MR		16778	16778S	16778D	16778W	16778W
SR		16778-SR	16778S-SR	16778D-SR	16778W-SR	16778W-SR
SSA		16778-SSA	16778S-SSA	16778D-SSA	16778W-SSA	16778W-SSA
SS		16778-SS	16778S-SS	16778D-SS	16778W-SS	16778W-SS



Modular transfer plates with rollers



AISI 430
Stainless steel



P.B.T.






Acetal resin

MODULE WITH THREE ROWS OF ROLLERS
Width L=85 or L=115

PLATE FASTENING
The slotted holes allow a 5 mm movement of the bolts.

TYPE	L	Fastener M6		Nut M6		Without screws
MR	85	16770	16770S	16770D	16770D	16770W
SR		16770-SR	16770S-SR	16770D-SR	16770D-SR	16770W-SR
SSA		16770-SSA	16770S-SSA	16770D-SSA	16770D-SSA	16770W-SSA
SS		16770-SS	16770S-SS	16770D-SS	16770D-SS	16770W-SS
MR	115	16771	16771S	16771D	16771D	16771W
SR		16771-SR	16771S-SR	16771D-SR	16771D-SR	16771W-SR
SSA		16771-SSA	16771S-SSA	16771D-SSA	16771D-SSA	16771W-SSA
SS		16771-SS	16771S-SS	16771D-SS	16771D-SS	16771W-SS



Modular transfer plates with rollers



AISI 430
Stainless steel



P.B.T.



Acetal resin

MODULE WITH FIVE ROWS OF ROLLERS
Width L=85 or L=115

PLATE FASTENING
The slotted holes allow a 5 mm movement of the bolts.

TYPE	L	Fastener M6		Nut M6		Without screws
						
MR	85	16772	16772S	16772D	16772D	16772W
SR		16772-SR	16772S-SR	16772D-SR	16772D-SR	16772W-SR
SSA		16772-SSA	16772S-SSA	16772D-SSA	16772D-SSA	16772W-SSA
SS		16772-SS	16772S-SS	16772D-SS	16772D-SS	16772W-SS
MR	115	16773	16773S	16773D	16773D	16773W
SR		16773-SR	16773S-SR	16773D-SR	16773D-SR	16773W-SR
SSA		16773-SSA	16773S-SSA	16773D-SSA	16773D-SSA	16773W-SSA
SS		16773-SS	16773S-SS	16773D-SS	16773D-SS	16773W-SS

