

DynaPlate Roller Transfer



- ❑ Mix and match for best transfer lengths and widths
- ❑ Long life, durable, trouble-free up time
- ❑ Flexible T-bolt mounting - won't strip or turn during installation
- ❑ Acetal body low noise rollers, stainless steel pins.



Standard



Low noise version



Roller with ball bearing



Stainless Steel Rollers with ball bearings

Code

16S00020




16S00020-SR

16S00020-SSA

16S00020-SS

2 Roller Rows

Sloped Entry



Code




16S00023

16S00023-SR

16S00023-SSA

16S00023-SS

2 Roller Rows



Sloped Entry



Head to tail transfer using two roller transfer assemblies positioned back-to-back



90° transfer using single roller transfer assembly.

DynaPlate Roller Transfer



- ☐ Mix and match for best transfer lengths and widths
- ☐ Long life, durable, trouble-free up time
- ☐ Flexible T-bolt mounting - won't strip or turn during installation
- ☐ Acetal body low noise rollers, stainless steel pins.



Code



16S00021

16S00021-SR

16S00021-SSA

16S00021-SS

3 Roller Rows



Code




16S00024

16S00024-SR

16S00024-SSA

16S00024-SS

3 Roller Rows



DynaPlate Roller Transfer



- ❑ Mix and match for best transfer lengths and widths
- ❑ Long life, durable, trouble-free up time
- ❑ Flexible T-bolt mounting - won't strip or turn during installation
- ❑ Acetal body low noise rollers, stainless steel pins.



Standard



Low noise version



Roller with ball bearing



Stainless Steel Rollers with ball bearings

Code



16S00022

16S00022-SR


16S00022-SSA

16S00022-SS

4 Roller Rows



Sloped Entry



Code



16S00025

16S00025-SR

16S00025-SSA

16S00025-SS

4 Roller Rows



Sloped Entry

